

Notice of Allowability

Application No.

10/628,744

Examiner

D. Ben Esplin

Applicant(s)

SUENAGA, YUTAKA

Art Unit

2851

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 7/30/03.
2. ☒ The allowed claim(s) is/are 1-11.
3. ☒ The drawings filed on 30 July 2003 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☒ Certified copies of the priority documents have been received in Application No. 10/006,667.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
 - * Certified copies not received: _____.
5. ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
 - (a) ☐ The translation of the foreign language provisional application has been received.
6. ☒ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. **THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

7. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
8. ☐ CORRECTED DRAWINGS must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No. _____.
 - (b) ☐ including changes required by the proposed drawing correction filed _____, which has been approved by the Examiner.
 - (c) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No. _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet.

9. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|--|---|
| 1 <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 2 <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3 <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 4 <input type="checkbox"/> Interview Summary (PTO-413), Paper No. _____ |
| 5 <input checked="" type="checkbox"/> Information Disclosure Statements (PTO-1449), Paper No. _____ | 6 <input checked="" type="checkbox"/> Examiner's Amendment/Comment |
| 7 <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit of Biological Material | 8 <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9 <input type="checkbox"/> Other |

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mario Constantino on 10/5/03.

The application has been amended as follows: Claims 1, 3, and 7 are amended.

1. A projection optical system having an image side numerical aperture that is greater or equal to 0.75, and which forms an image of a first object upon a second object using light of a predetermined wavelength less than or equal to 300nm, comprising:

plural optical groups having at least one lens; and

a distance D in ~~mm~~ mm along an optical axis between an optical surface closest to the second object, and the second object, satisfies a condition of $0.1 < D < 5$.

3. A projection optical system according to claim 1, wherein a distance L in ~~mm~~ mm along the optical axis between the first object and the second object satisfies a condition of $800 < L < 1600$.

7. A projection optical system according to claim 1, wherein the plural optical groups is four optical groups, and a focal length F2 of the second optical group and a distance L

Art Unit: 2851

in ~~mm~~ mm along the optical axis between the first object and the second object satisfy a condition of $0.01 < |F2|/L < 0.15$.

The following is an examiner's statement of reasons for allowance: A projection optical system adapted for light with a wavelength of less than 300nm, with a numerical aperture of 0.75 or greater, for forming an image of a first object onto a second object, and having a back focal length (D) that falls within the prescribed range, is not specifically suggested by the prior art.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

U.S. Patent No. 6,008,884 to Yamaguchi et al. teaches of a projection optical system including a numerical aperture of greater than .75.

U.S. Patent No. 6,259,508 to Shigematsu teaches of a projection optical system including a numerical aperture of greater than .75.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to D. Ben Esplin whose telephone number is (703) 305-4022. The examiner can normally be reached on Mon.-Fri. (8am-4:30 pm).

Application/Control Number: 10/628,744
Art Unit: 2851

Page 4

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Russell E. Adams can be reached on (703) 308-2847. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

DBE
DBE

Russell E. Adams
SUPERVISOR
TECHNICAL EXAMINER
TECHNICAL UNIT 2800